THOMAS SERVICES MARITIMES

TSM BATZ

Euro Carrier 2409



MULTI-PURPOSE WORKBOAT

GENERAL

Vessel type	**Multi-Purpose Service Vessel (MPSV)**
Model	**Euro Carrier 2409**
Year of built	**2022**
Flag	**French**
Homeport	**Brest**
Material	**Steel**
Mission type	**Anchor handling, dredging support, diving support, towing, levelling**
Specificity	✓ **Heavy lift capability** ✓ **Large deck space**

MAIN DIMENSIONS

Length OA	**24,00 m**
Beam	**9,00 m**
Min/Max draft	**2,80 / 3,01 m**
Gross tonnage	**< 300 UMS**
Bollard pull	**20 t**
Clear deck area	**150 m²**
Deck loading capacity	**6 t /m²**


CLASSIFICATION

BUREAU VERITAS	**Special service**
HULL -MACH	**Multi purpose ship**
AUT-UMS	**Tug**
Unrestricted navigation	**IMO TIER III**

THOMAS SERVICES MARITIMES

TSM BATZ

Euro Carrier 2409



DETAILED SPECIFICATIONS

CONTROL & NAVIGATION

Magnetic compass	**Cassens & Plath type 1**
Satellite compass	**Tronsat 20**
Echosounder	**Furuno FCV-585**
DGPS Navigation	**Furuno GP-170D**
AIS	**Furuno FA-150**
Radar	**Furuno FAR 2117**
VSAT	**Thalos 900mm**
VHF	**2 x Sailor RT 6222**
SART	**Tronsart 20**

PROPULSION

Main Engines	**2 x Volvo D16**
Total Power	**2 x 625 kW @ 1900 rpm**
Propellers	**2 x 1500 mm**
Bow truster	**80 kW**
Cruise speed	**9 kts**

ELECTRICAL POWER

Generator Sets	**2 x Volvo D7**
Total E-Power	**2 x 134 kVA**
Hydraulic PP	**2 x 55 kW**

TANKS

Fuel Oil	**56 m³**
Fresh Water	**35 m³**

ACCOMODATION


Facilities	**8 persons**

DECK MACHINERY


Anchor Handling & Towing Winch	**Holding force: 10 t Pulling force: 50t at 1st layer Hauling speed: 30 m/min to 10 m/min**
Tugger Winch	**Pulling force: 10 t at 1st layer**
Plough Winches	**Pulling force: 10 t at 1st layer @ 12 m/min**
Foreship crane	**Heila HLRM 140-4SL 5t winch 25 t @ 5,79 m / 8,1 t @ 14 m**
Aftship crane	**Heila HLRM 25-4SL 8 t @ 2,79 m / 1,4 t @ 12,62 m**
Towing pin and chain stopper	**50 t SWL**
A-frame	**25 t**

TSM BATZ


Euro Carrier 2409




MAINDECK



CRANES SPECIFICATIONS



Foreship crane : Heila HLRM 140-4SL



Aftship crane : Heila HLRM 25-4SL

THOMAS SERVICES MARITIMES
14 Rue Amiral Nielly,
29260 BREST, FRANCE
http://www.tsmgroup.eu

For further information contact:

OFFSHORE DEPARTMENT
chartering@tsmgroup.eu
Tel : +33 6 48 16 45 95

