



Informations deemed reliable but not guaranteed

CLASSIFICATION	Bureau Veritas I ✕ HULL
	MACH AUT-UMS, IMO TIER III
	Unrestricted Navigation,
	Tug, Multi-purpose vessel
	GMDSS Area A3,
	Clean ship, special service
	GMDSS area A3
	DYNAPOS AM / AT R
	Dynamic Positioning DP II
YEAR OF BUILT	2025
IMO / MMSI	228484700
FLAG	French
MAIN PARTICULARS	
LENGTH OA	38.50 m
WIDTH OA	12 m
DRAFT MIN / MAX	2.10 m / 2.80 m
BOLLARD PULL	28 t
PROPULSION	
MAIN ENGINES	3x Volvo D16
TOTAL POWER	3x 625 kW at 1900 rpm
PROPELLERS	3x 1500 mm
GENERATOR SETS	2x Volvo D8
TOTAL E-POWER	2x 256 kW + 1x 535 KW
STERN THRUSTERS	2x Ø 815 – 200 kW
BOW THRUSTERS	2x Ø 815 – 200 kW
TANKS	
FUEL OIL	123 m³
FRESH WATER	64 m³

Virtual 3D

[Click here](#)

DECK LAY-OUT

DECK CRANES (1 Optional)	HS Marine AKC 210/16 HE4
DECK SPACE	5t winch
DECK STRENGTH	250 m²
MAX DECK LOAD	10 – 7.5 t/m²
A-FRAME (High position optional)	Up to 205 t
	20 t low position – 30 t high position

TUGGER WINCH	Pulling forces : 15 t at 1 st layer
MOORING WINCH	Pulling forces : 15 t at 1 st layer
Optionnal	Holding forces : 22.5 t at 1 st layer
	300 m - Ø 32 mm steel wire

TOWING / ANCHOR HANDLING	Pulling forces : 50 t at 1 st layer
	Holding forces : 125 t at 1 st layer
	Brake : 125 t at 1 st layer
	600 m - Ø 48 mm steel wire

TOWING HOOK	Mampaey 45 t SWL Disc
SHARK JAWS	Karmfork - 100 t SWL
TOWING PIN	50 t SWL
MOONPOOL	Ø 800 mm - (pole available upon request)
STERN ROLLER	Ø 1 m x 5.65 m

CONSUMPTION

FULL SPEED (12 knts)	7 m³/day
SERVICE SPEED (9 knts)	5 m³/day
DP	2 – 2.5 m³/day
AT PORT	1,5 m³/day

ACCOMODATION

BUNK AVAILABLE FOR PASSENGERS	Max 10 depending projects (5 double cabins)
AUTONOMY AT SEA (Foods & Beverages)	21 Days
Full pax (21 personnes)	15 Days

CONNECTION AVAILABLE ON THE DECK

Electrical : 400 V 32 A - 400 V 63 A - 440 V 63 A - 400 V 125 A
Hydraulic : Available for 4-point mooring winch.

CAPABILITY BEACHING

☒ Yes ☐ No

PRESENCE TWIST LOCK

☒ Yes ☐ No

OPTIONAL EQUIPMENT – Available on request

SPUDS
4 – POINT MOORING WINCH

BOATLANDING
ROLL OVER SIDE
ZODIAC MILPRO RIBA 400



TECHNICAL SHEET

-  Clear deck area
-  Optionnal equipment
-  Cranes diagrams – Sea State 0 (Sso)

